

Spread out in comfort with Airflow Ceiling Sweep Fans



 \Diamond

This summer, bring the gentle cooling breeze of a tropical island into your home with Airflow Reversible Ceiling Fans.

Ideal for living areas and bedrooms, the blades gently circulate air to keep your family comfortably cool, while the fan motor is whisper quiet to help ensure a peaceful night's sleep.

In winter, simply flicking the switch located just above the blades reverses the fan direction so that the warm air that rises towards the ceiling from your heater, is directed back down to where it's needed most.

As warm air is better circulated around the room, you'll find that you can usually turn your heating to a lower setting to help reduce your winter heating bills.

Airflow Reversible Ceiling Fans are so economical that they use less power than a light globe.



Air is forced back into the room in winter





Air is gently swirled down in summer

Contemporary styling

Airflow Reversible Ceiling Fans perfectly combine functionality with fashion.

Their streamlined, contemporary design makes them the perfect choice for any style of home.

All Airflow fans are supplied with Clipsal's popular 2000 Series switchplates which complement other 2000 Series switches and

A range of accessories is also available, including mounting kits for installing fans on raked ceilings, and Oyster light kits.

AIRFLOW



Light adaptable.

These beautiful timber and rattan look blade fans will turn any home into your own piece of paradise. With quiet and efficient performance they're a stylish addition to living areas and bedrooms.

Features

•

- Four reversible timber/rattan look blades. Sealed top and bottom bearings. Three speed capacitor controller.

 - Reversing switch on fan motor. •
 - · Pre-wired and part assembled.

Product Range				
Cat. No.	Diameter	Colours	Power 240V~ 50Hz	Fan Speed (RPM)
AFLR48	1200mm (48")	White (WE)	60W	High 240, Med 140, Low 100
AFLR48	1200mm (48")	Beige (BG)	60W	High 240, Med 140, Low 100
Please specify colour when ordering				

colour









Light adaptable.

Distinctive Brass Trim



3 Aluminium Blades mance Series

The aluminium blades of Airflow's High Performance Series offer outstanding corrosion resistance in harsh environments such as coastal regions and areas of high humidity.

A range of sizes is available as well as two mounting versions - j hook mounting for easy installation on flat ceilings and hangsure mounting for raked ceilings.

Features

•

- Three heavy gauge aluminium blades. • Three speed capacitor controller.
- Sealed top and bottom bearings. •
- Reversing switch on fan motor. •
 - · Pre-wired and part assembled.

Product Range - with J Hook mounting				
Cat. No.	Diameter	Colours	Power 240V~ 50Hz	Fan Speed (RPM)
ACES36JAL	900mm (36")	White (WE)	65W	High 370, Med 220, Low 125
ACES48JAL	1200mm (48")	White (WE)	65W	High 280, Med 200, Low 130
ACES56JAL	1400mm (56")	White (WE)	65W	High 260, Med 180, Low 120
Product Range - with Hangsure mounting				
Cat. No.	Diameter	Colours	Power 240V~ 50Hz	Fan Speed (RPM)
ACES36AL	900mm (36")	White (WE)	65W	High 370, Med 220, Low 125
ACES36AL ACES48AL	900mm (36") 1200mm (48")	White (WE) White (WE)	65W 65W	High 370, Med 220, Low 125 High 280, Med 200, Low 130









3 Speed Controller

J Hook Mounting Kit

Hangsure Mounting Kit

Reversing Switch



Accessories

The following accessories can be used to customise your Airflow fan to suit your individual requirements.



Down Rod



Mounting Kit



Cat. No.	Description	Colours	
HSMK	Hangsure Mounting Kit	White (WE)	
HSMK	Hangsure Mounting Kit	Beige (BG)	
HSMK	Hangsure Mounting Kit	Brown (BR)	
Please specify colour when ordering.			
Light Kit			

LIC	jnt kit		
Cat	. No.	Description	Colours
OY	WHT	Oyster Light Kit	White (WE)
OYI	BEI	Oyster Light Kit	Beige (WE)

Light Kit

Products of Gerard Industries Pty Ltd ABN 27 007 873 529

Head Office

12 Park Terrace, Bowden South Australia 5007 Telephone (08) 8269 0511 Facsimile (08) 8340 1724 Internet clipsal.com E-Mail plugin@clipsal.com.au

Offices in all States

0	o ini an otatoo	
NSW	Sydney Albury	(02) 9794 9200 (02) 6041 2377
VIC	Melbourne Country Areas	(03) 9207 3200 1800 653 893
QLD	Brisbane Townsville	(07) 3244 7444 (07) 4729 3333
SA	Adelaide	(08) 8268 0400
WA	Perth	(08) 9442 4444

TAS	Hobart Launceston	(03) 6272 3177 (03) 6343 5900
NT	Darwin	(08) 8947 0278

International Enquiries

Down Rods

Description

Please specify colour when ordering.

Hangsure 760mm Down Rod

Hangsure 760mm Down Rod

J Hook 760mm Down Rod

Cat. No.

DR30X1/2

DR30X1/2

DR30X1/2J

Mounting Kit

Head Office Export Department Telephone + 61 8 8269 0587 Facsimile + 61 8 8340 7350 E-Mail export@clipsal.com.au

New Zealand Clipsal Industries (NZ) Ltd (Auckland)

Telephone (09) 576 3403 Facsimile (09) 576 1015 E-Mail headoffice@clipsal.co.nz

Customer Service

Free Fax (0508) 250 305 Auckland/Mobile Phone (09) 572 0014 Free Phone (0508) CLIPSAL 2547725 You can find this brochure and many others online in PDF format at: **clipsal.com**

Colours

White (WE)

Beige (BG)

White (WE)

Follow the links off the home page or access the following page directly: clipsal.com/wat_lib_pdf.cfm



Gerard Industries Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

[©]Copyright Gerard Industries Pty Ltd Printed by Custom Press Pty Ltd (08) 8346 7999 O/N 263-109 May 02/02